


| Posicion | Cantidad | Referencia | Descripcion | PG |
|----------|----------|------------|------------------------------------|----|
| 1 | 5 | 141110540 | Tornillo alomado | 11 |
| 2 | 1 | 316099130 | COVER, SAW BLADE HOUSING cpl. | 31 |
| 3 | 1 | 318004040 | Manguito de aspiracion cpl. | 16 |
| 4 | 1 | 343449790 | Cristal protector | 11 |
| 5 | 1 | 316099120 | Carcasa cpl. | 32 |
| 6 | 1 | 316099110 | Escala cpl. | 27 |
| 7 | 1 | 141162970 | Pasador cilindrico | 12 |
| 8 | 3 | 341724010 | Tornillo prisionero | 11 |
| 9 | 1 | 342004250 | Resorte de presion | 12 |
| 10 | 1 | 343449780 | Mandril de sujecion | 11 |
| 13 | 1 | 316075710 | Unidad electronica, | |
| 14 | 1 | 141152270 | Arand.elast.dentada | 11 |
| 15 | 1 | 141155950 | Arandela | 11 |
| 16 | 1 | 141110460 | Tornillo alomado | 11 |
| 17 | 1 | 343449050 | Empujador | 11 |
| 18 | 10 | 141116020 | Torn.alom.para chapa | 12 |
| 19 | 1 | 344161530 | Llave hex.piv.front. | 12 |
| 20 | 1 | 628026000 | PrecisionCutClassic 165x20 42WZ 5° | |
| 21 | 1 | 316099140 | Brida cpl. | 19 |
| 22 | 8 | 141120550 | Tornillo | 11 |
| 23 | 1 | 316099170 | Tapa de engranaje cpl. | 23 |
| 24 | 1 | 339012250 | Junta | 11 |
| 25 | 1 | 316099150 | Eje de sierra completo | 22 |
| 26 | 2 | 141152070 | Arandela | 11 |
| 27 | 1 | 316099160 | Eje completo | 26 |
| 28 | 1 | 141152150 | Arandela | 12 |
| 29 | 1 | 341020430 | Arandela dist. | 11 |
| 30 | 1 | 316099180 | Carcasa Engranaje cpl. | 33 |
| 31 | 1 | 343450350 | Rueda de ajuste | 14 |
| 32 | 1 | 342001070 | Resorte de presion | 11 |
| 33 | 1 | 342022680 | Resorte | 11 |
| 34 | 1 | 316099200 | Tope de husillo | 20 |
| 35 | 1 | 339151310 | Chapa guia aire | 11 |
| 36 | 4 | 141122790 | Tornillo alomado | 11 |
| 37 | 1 | 343449630 | Empunadura con tapa | 23 |
| 38 | 1 | 342001770 | Resorte de presion | 11 |
| 39 | 1 | 343446350 | Pulsador del interruptor | 11 |
| 40 | 1 | 316099190 | Empujador cpl. | 23 |
| 41 | 1 | 316099220 | Inducido cpl. | 38 |
| 42 | 1 | 343449660 | Griffelement | 14 |
| 43 | 1 | 311013250 | Inductor cpl. | 36 |

| Posicion | Cantidad | Referencia | Descripcion | PG |
|----------|----------|------------|----------------------------------|----|
| 44 | 3 | 341213440 | Manguera termoretractil | 11 |
| 45 | 1 | 343450400 | Anillo distanciador | 11 |
| 46 | 1 | 316099210 | Empunadura cpl. | 19 |
| 47 | 1 | 315013870 | Tapa motor | 14 |
| 48 | 1 | 339137700 | Pieza de union | 11 |
| 49 | 3 | 341705430 | Tornillo | 11 |
| 50 | 1 | 339008030 | Arandela de cubierta | 11 |
| 51 | 2 | 343446120 | Cuerpo de ajuste | 11 |
| 52 | 18 | 141119860 | Torn.alomado mikrov.gn | 12 |
| 53 | 1 | 315420450 | Placa base | 31 |
| 54 | 1 | 316099090 | Dispositivo de presion cpl. | 19 |
| 55 | 1 | 343446130 | Boton giratorio | 11 |
| 56 | 1 | 342003940 | Pivote | 11 |
| 57 | 1 | 316099080 | Pieza giratoria cpl. | 29 |
| 58 | 1 | 343451700 | Tuerca de mariposa | 11 |
| 59 | 1 | 141150110 | Arandela | 11 |
| 60 | 1 | 343451690 | Consola | 11 |
| 61 | 4 | 141131210 | Tuerca cuadrada | 11 |
| 62 | 1 | 343451680 | Guia | 11 |
| 63 | 1 | 141116220 | Tornillo hex. | 11 |
| 64 | 1 | 316099310 | Guia | 18 |
| 65 | 1 | 343447950 | Consola | 16 |
| 66 | 1 | 316099100 | Tuerca de mariposa cpl. | 18 |
| 67 | 1 | 628028000 | Saco de polvo KT/KS 18 LTX 66 BL | |
| 68 | 5 | 141150010 | Arandela | 11 |
| 75 | 1 | 338073180 | rating plate | 12 |
| 79 | 1 | 316066720 | Cerrojo cpl. | 14 |
| 80 | 2 | 342004180 | Pressure spring | 11 |
| 95 | 1 | 343439680 | Tapa de cierre | 11 |
| 880 | 1 | 344130970 | tubo de grasa 50Gr 1,8oz | 22 |
| 1001 | 1 | 338506540 | Esquema electrico | |



Stellrad vollst. /
Selector wheel compl.

