



## Safety Data Sheet

Copyright, 2017 Meguiar's, Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 26-6658-4  
**Issue Date:** 03/17/17

**Version Number:** 6.02  
**Supersedes Date:** 03/06/17

### SECTION 1: Identification

#### 1.1. Product identifier

M50, One Step Marine & RV Cleaner Liquid Wax (26-64A): M5001, M5016, M5032

#### Product Identification Numbers

14-1000-1249-2, 14-1000-1251-8, 14-1000-1253-4

#### 1.2. Recommended use and restrictions on use

##### Recommended use

RV/boat wax, Marine

#### 1.3. Supplier's details

**MANUFACTURER:** Meguiar's, Inc.  
**DIVISION:** Meguiar's  
**ADDRESS:** 17991 Mitchell South, Irvine, CA 92614, USA  
**Telephone:** 949-752-8000 (Fax: 949-752-5784)

#### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

Specific Target Organ Toxicity (single exposure): Category 3.

#### 2.2. Label elements

##### Signal word

Warning

**Symbols**

Exclamation mark |

**Pictograms****Hazard Statements**

Causes skin irritation.

May cause drowsiness or dizziness.

**Precautionary Statements****General:**

Keep out of reach of children.

**Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Call a POISON CENTER or doctor/physician if you feel unwell.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

None.

1% of the mixture consists of ingredients of unknown acute oral toxicity.

1% of the mixture consists of ingredients of unknown acute dermal toxicity.

21% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient                | C.A.S. No. | % by Wt                |
|---------------------------|------------|------------------------|
| Non-Hazardous Ingredients | Mixture    | 40 - 70 Trade Secret * |
| Petroleum Distillates     | 64742-88-7 | 10 - 30 Trade Secret * |
| Calcined Kaolin           | 92704-41-1 | 5 - 15 Trade Secret *  |
| Petroleum Distillates     | 64742-47-8 | 1 - 10 Trade Secret *  |
| Petroleum Distillates     | 64742-48-9 | 1 - 10 Trade Secret *  |

|                        |               |                          |
|------------------------|---------------|--------------------------|
| Poly(Dimethylsiloxane) | 63148-62-9    | 1 - 10 Trade Secret *    |
| Conditioners           | Trade Secret* | < 5 Trade Secret *       |
| White Mineral Oil      | 8042-47-5     | 0.1 - 1.0 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Formaldehyde  
Carbon monoxide  
Carbon dioxide  
Irritant Vapors or Gases

#### Condition

During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation

to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                        | C.A.S. No. | Agency                  | Limit type                                             | Additional Comments                |
|-----------------------------------|------------|-------------------------|--------------------------------------------------------|------------------------------------|
| Kerosine (petroleum)              | 64742-47-8 | ACGIH                   | TWA(as total hydrocarbon vapor, non-aerosol):200 mg/m3 | A3: Confirmed animal carcin., SKIN |
| Naphtha                           | 64742-47-8 | OSHA                    | TWA:400 mg/m3(100 ppm)                                 |                                    |
| Naphtha                           | 64742-48-9 | OSHA                    | TWA:400 mg/m3(100 ppm)                                 |                                    |
| Petroleum Distillates             | 64742-48-9 | Manufacturer determined | TWA:100 ppm                                            |                                    |
| Kerosine (petroleum)              | 64742-88-7 | ACGIH                   | TWA(as total hydrocarbon vapor, non-aerosol):200 mg/m3 | A3: Confirmed animal carcin., SKIN |
| MINERAL OILS, HIGHLY-REFINED OILS | 8042-47-5  | ACGIH                   | TWA(inhalable fraction):5 mg/m3                        | A4: Not class. as human carcin     |
| Paraffin oil                      | 8042-47-5  | OSHA                    | TWA(as mist):5 mg/m3                                   |                                    |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Fluoroelastomer  
Nitrile Rubber

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                |                                      |
|------------------------------------------------|--------------------------------------|
| <b>General Physical Form:</b>                  | Liquid                               |
| <b>Odor, Color, Grade:</b>                     | Sweet odor; cream color; solid paste |
| <b>Odor threshold</b>                          | <i>No Data Available</i>             |
| <b>pH</b>                                      | 8 - 9                                |
| <b>Melting point</b>                           | <i>Not Applicable</i>                |
| <b>Boiling Point</b>                           | 365 °F                               |
| <b>Flash Point</b>                             | Flash point > 93 °C (200 °F)         |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>             |
| <b>Flammability (solid, gas)</b>               | Not Applicable                       |
| <b>Flammable Limits(LEL)</b>                   | <i>Not Applicable</i>                |
| <b>Flammable Limits(UEL)</b>                   | <i>Not Applicable</i>                |
| <b>Vapor Pressure</b>                          | <i>No Data Available</i>             |
| <b>Vapor Density</b>                           | <i>No Data Available</i>             |
| <b>Density</b>                                 | 0.90 - 1.00 g/ml                     |
| <b>Specific Gravity</b>                        | 0.95 [Ref Std: WATER=1]              |
| <b>Solubility in Water</b>                     | Moderate                             |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>             |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>             |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>             |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>             |
| <b>Viscosity</b>                               | 15,000 - 25,000 centipoise           |
| <b>Hazardous Air Pollutants</b>                | 0.025 % weight                       |
| <b>Molecular weight</b>                        | <i>No Data Available</i>             |

**Volatile Organic Compounds**14.5 % weight [*Test Method*:calculated per CARB title 2]**Percent volatile**

81.7 % weight

**Percent volatile***No Data Available***VOC Less H2O & Exempt Solvents**478 g/l [*Test Method*:calculated SCAQMD rule 443.1]

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

Strong acids

Strong bases

Strong oxidizing agents

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

#### Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

**Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

**Additional Health Effects:****Single exposure may cause target organ effects:**

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                   | Route                          | Species | Value                                          |
|------------------------|--------------------------------|---------|------------------------------------------------|
| Overall product        | Dermal                         |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product        | Inhalation-Vapor(4 hr)         |         | No data available; calculated ATE >50 mg/l     |
| Overall product        | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| Calcined Kaolin        | Dermal                         |         | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| Calcined Kaolin        | Ingestion                      | Rat     | LD50 > 2,000 mg/kg                             |
| Petroleum Distillates  | Inhalation-Vapor               |         | LC50 estimated to be 20 - 50 mg/l              |
| Petroleum Distillates  | Dermal                         | Rabbit  | LD50 > 3,000 mg/kg                             |
| Petroleum Distillates  | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |
| Petroleum Distillates  | Dermal                         | Rabbit  | LD50 > 3,160 mg/kg                             |
| Petroleum Distillates  | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 3 mg/l                                  |
| Petroleum Distillates  | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |
| Petroleum Distillates  | Inhalation-Vapor               |         | LC50 estimated to be 20 - 50 mg/l              |
| Petroleum Distillates  | Dermal                         | Rabbit  | LD50 > 3,000 mg/kg                             |
| Petroleum Distillates  | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |
| Poly(Dimethylsiloxane) | Dermal                         | Rabbit  | LD50 > 19,400 mg/kg                            |
| Poly(Dimethylsiloxane) | Ingestion                      | Rat     | LD50 > 17,000 mg/kg                            |
| White Mineral Oil      | Dermal                         | Rabbit  | LD50 > 2,000 mg/kg                             |
| White Mineral Oil      | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                             |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                   | Species | Value                     |
|------------------------|---------|---------------------------|
| Petroleum Distillates  | Rabbit  | Irritant                  |
| Petroleum Distillates  | Rabbit  | Mild irritant             |
| Petroleum Distillates  | Rabbit  | Irritant                  |
| Poly(Dimethylsiloxane) | Rabbit  | No significant irritation |
| White Mineral Oil      | Rabbit  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                  | Species | Value                     |
|-----------------------|---------|---------------------------|
| Petroleum Distillates | Rabbit  | No significant irritation |

|                        |        |                           |
|------------------------|--------|---------------------------|
| Petroleum Distillates  | Rabbit | Mild irritant             |
| Petroleum Distillates  | Rabbit | No significant irritation |
| Poly(Dimethylsiloxane) | Rabbit | No significant irritation |
| White Mineral Oil      | Rabbit | Mild irritant             |

### Skin Sensitization

| Name                  | Species    | Value           |
|-----------------------|------------|-----------------|
| Petroleum Distillates | Guinea pig | Not sensitizing |
| Petroleum Distillates | Guinea pig | Not sensitizing |
| Petroleum Distillates | Guinea pig | Not sensitizing |
| White Mineral Oil     | Guinea pig | Not sensitizing |

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

| Name                  | Route    | Value                                                                        |
|-----------------------|----------|------------------------------------------------------------------------------|
| Petroleum Distillates | In vivo  | Not mutagenic                                                                |
| Petroleum Distillates | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillates | In Vitro | Not mutagenic                                                                |
| Petroleum Distillates | In vivo  | Not mutagenic                                                                |
| Petroleum Distillates | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| White Mineral Oil     | In Vitro | Not mutagenic                                                                |

### Carcinogenicity

| Name                  | Route      | Species                 | Value                                                                        |
|-----------------------|------------|-------------------------|------------------------------------------------------------------------------|
| Petroleum Distillates | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillates | Inhalation | Human and animal        | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillates | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillates | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Petroleum Distillates | Inhalation | Human and animal        | Some positive data exist, but the data are not sufficient for classification |
| White Mineral Oil     | Dermal     | Mouse                   | Not carcinogenic                                                             |
| White Mineral Oil     | Inhalation | Multiple animal species | Not carcinogenic                                                             |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name                  | Route      | Value                            | Species | Test Result           | Exposure Duration    |
|-----------------------|------------|----------------------------------|---------|-----------------------|----------------------|
| Petroleum Distillates | Inhalation | Not toxic to development         | Rat     | NOAEL 2.4 mg/l        | during organogenesis |
| Petroleum Distillates | Inhalation | Not toxic to development         | Rat     | NOAEL 2.4 mg/l        | during organogenesis |
| White Mineral Oil     | Ingestion  | Not toxic to female reproduction | Rat     | NOAEL 4,350 mg/kg/day | 13 weeks             |

|                   |           |                                |     |                       |                  |
|-------------------|-----------|--------------------------------|-----|-----------------------|------------------|
| White Mineral Oil | Ingestion | Not toxic to male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks         |
| White Mineral Oil | Ingestion | Not toxic to development       | Rat | NOAEL 4,350 mg/kg/day | during gestation |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                  | Route      | Target Organ(s)                   | Value                                                                        | Species                | Test Result         | Exposure Duration |
|-----------------------|------------|-----------------------------------|------------------------------------------------------------------------------|------------------------|---------------------|-------------------|
| Petroleum Distillates | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human and animal       | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | nervous system                    | Some positive data exist, but the data are not sufficient for classification | Dog                    | NOAEL 6.5 mg/l      | 4 hours           |
| Petroleum Distillates | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgement | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human and animal       | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| Petroleum Distillates | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgement | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human and animal       | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| Petroleum Distillates | Inhalation | nervous system                    | Some positive data exist, but the data are not sufficient for classification | Dog                    | NOAEL 6.5 mg/l      | 4 hours           |
| Petroleum Distillates | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgement | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                  | Route      | Target Organ(s)                                           | Value                                                                        | Species                 | Test Result    | Exposure Duration |
|-----------------------|------------|-----------------------------------------------------------|------------------------------------------------------------------------------|-------------------------|----------------|-------------------|
| Petroleum Distillates | Inhalation | nervous system                                            | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 4.6 mg/l | 6 months          |
| Petroleum Distillates | Inhalation | kidney and/or bladder                                     | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 1.9 mg/l | 13 weeks          |
| Petroleum Distillates | Inhalation | respiratory system                                        | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l | 90 days           |
| Petroleum Distillates | Inhalation | bone, teeth, nails, and/or hair   blood   liver   muscles | All data are negative                                                        | Rat                     | NOAEL 5.6 mg/l | 12 weeks          |
| Petroleum Distillates | Inhalation | heart                                                     | All data are negative                                                        | Multiple animal species | NOAEL 1.3 mg/l | 90 days           |
| Petroleum Distillates | Inhalation | nervous system                                            | Some positive data exist, but the                                            | Rat                     | LOAEL 4.6      | 6 months          |

|                       |            |                                                           |                                                                              |                         |                       |          |
|-----------------------|------------|-----------------------------------------------------------|------------------------------------------------------------------------------|-------------------------|-----------------------|----------|
|                       |            |                                                           | data are not sufficient for classification                                   |                         | mg/l                  |          |
| Petroleum Distillates | Inhalation | kidney and/or bladder                                     | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 1.9 mg/l        | 13 weeks |
| Petroleum Distillates | Inhalation | respiratory system                                        | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l        | 90 days  |
| Petroleum Distillates | Inhalation | bone, teeth, nails, and/or hair   blood   liver   muscles | All data are negative                                                        | Rat                     | NOAEL 5.6 mg/l        | 12 weeks |
| Petroleum Distillates | Inhalation | heart                                                     | All data are negative                                                        | Multiple animal species | NOAEL 1.3 mg/l        | 90 days  |
| White Mineral Oil     | Ingestion  | hematopoietic system                                      | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 1,381 mg/kg/day | 90 days  |
| White Mineral Oil     | Ingestion  | liver   immune system                                     | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 1,336 mg/kg/day | 90 days  |

**Aspiration Hazard**

| Name                  | Value             |
|-----------------------|-------------------|
| Petroleum Distillates | Aspiration hazard |
| Petroleum Distillates | Aspiration hazard |
| Petroleum Distillates | Aspiration hazard |
| White Mineral Oil     | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility.

**SECTION 14: Transport Information**

**General Transportation Statement:** This product does not require classification by DOT, IATA, or IMDG.

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact manufacturer for more information

**311/312 Hazard Categories:**

Fire Hazard - No      Pressure Hazard - No      Reactivity Hazard - No      Immediate Hazard - Yes      Delayed Hazard - No

**15.2. State Regulations**

Contact manufacturer for more information

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact manufacturer for more information

**15.4. International Regulations**

Contact manufacturer for more information

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

**SECTION 16: Other information****NFPA Hazard Classification**

**Health:** 2    **Flammability:** 1    **Instability:** 0    **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 26-6658-4  
**Issue Date:** 03/17/17

**Version Number:** 6.02  
**Supersedes Date:** 03/06/17

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's, Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's, Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's, Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's, Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's, Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's, Inc.

**Meguiar's, Inc. USA SDSs are available at [www.Meguiars.com](http://www.Meguiars.com)**