










Posicion	Cantidad	Referencia	Descripcion	PG
1	2	344101760	Anillo	11
2	1	343437770	Modulo portaescobillas	14
3	1	316046900	Juego de escobillas desconectable	22
4	2	141155950	Arandela	11
5	2	141119900	Torn.alomado	11
6	1	311012320	Inductor c.bobina,230V	31
7	4	141124100	Tornillo alomado	11
8	1	343437780	Brida de motor	14
9	2	141118260	Torn.alom.para chapa	11
10	1	344097870	Casquillo de goma	11
11	1	143114750	Rodamiento radial 6X 19X 6	14
12	1	310011590	Inducido cpl.,230V	31
13	1	143115890	Cojinete de bolas, 8X 22X 7	16
14	1	315202930	Brida	26
15	1	339012140	Gear gasket	13
16	3	141110540	Tornillo alomado	11
17	2	344091420	Tapon de goma	11
18	1	316063070	Tapa de engranaje cpl.	31
19	1	316063080	Eje completo	27
20	1	339012130	Gear gasket	14
21	1	316063090	Brida intermedia completo	30
22	1	339007890	Butting washer	11
23	1	340004370	Internal gear	18
24	1	316063100	Planet carrier cpl.	23
25	3	143115450	Corona de agujas	16
26	3	340004380	Planetenrad	15
27	1	339007900	Butting washer	11
28	2	143115890	anillo elastico	11
29	2	141156760	Arandela de ajuste	11
30	11	141116020	Torn.alom.para chapa	12
31	1	338065300	Placa de caracteristicas	11
33	1	343437640	Carcasa c. tapa cpl.	27
34	1	341604830	Eje	22
35	4	143111740	Casquillo para aguja	14
36	4	344071030	Fieltro	11
37	8	339001110	Arandela	11
38	2	341071700	Pieza de embrague	13
39	2	342004040	Resorte de presion	11
40	2	341071680	Claw ring	14
41	1	343085180	Diodo cpl.	31
43	1	343437680	Canal de extraccion	17

Posicion	Cantidad	Referencia	Descripcion	PG
44	1	343362490	Abrazadera de cable	12
45	1	141117060	Torn.alom.para chapa	12
46	1	344101140	Proteccion del cable	13
47	1	343410840	Interrupor	17
48	1	343411540	Interrupor	20
49	2	341162190	Pieza final	11
50	1	343050140	Liston de apriete	12
51	2	344530490	Cordon cpl.	11
52	3	344530480	Cordon cpl.	11
53	1	343085690	Unidad electronica.230V 50/60Hz	33
55	1	344493180	Cable enchufe m.europeo	27
56	4	341071740	Casquillo	11
57	8	141122860	Tornillo	11
58	33	141113180	Torn.alom.para chapa	11
59	4	341211180	Clamping eccentric	11
61	2	341071690	Claw ring	15
62	2	343437700	Palanca tensora	13
65	16	141119850	Torn.alom.mikrov	11
66	2	343437810	Brida tensora cpl.	16
67	4	315419120	Tenterhook	13
68	2	141150110	Arandela	11
69	1	341112880	Tubo-asa	30
71	2	343438050	Pieza de union	11
72	1	316061990	Hollow shaft compl.	34
73	1	343437800	Adapter flange compl.	17
74	1	316061980	Hollow shaft compl.	33
76	1	341112870	Tubo-asa	29
77	1	141180040	Arandela de seguridad	11
78	1	143111120	Rodamiento radial	25
79	1	341604820	Eje intermedio	25
80	1	341071770	Retainer bushing	13
81	1	141156360	Anillo de muelle	11
82	1	316062030	Manguera de aspiracion cpl.	19
83	1	343437790	Soporte cpl.	24
84	5	141111050	Tornillo cilindrico	11
85	1	343438600	Tapa roscada	11
86	1	343438610	Tapa roscada	11
87	1	343437760	Fork compl.	26
88	1	343437820	Swivel flange compl.	18
89	2	341006290	Sliding bushing	11
90	9	141116130	Torn.alom.para chapa	11

91	4	339007990	Disco de bloqueo	12
92	2	341515860	Perno de conexi3n	16
93	2	343437800	Adapter flange compl.	17
94	1	316064360	Pieza de carga	28
95	1	316065150	Brida intermedia cpl.	38
96	2	339009440	Arandela	11
98	1	343437710	Soporte de rodamiento	11
99	1	341006280	Sliding bushing	11
100	1	343437830	Cubierta protectora	24
101	1	341006270	Sliding bushing	11
102	1	343437720	Cubierta protectora	12
103	5	343437730	Angle bracket	11
104	1	316063120	Anillo de ajuste	36
105	1	343437690	Proteccion para las esquinas	15
106	1	344101740	Junta	15
107	5	342004050	Resorte de presi3n	11
108	1	343438280	Porta escobillas	16
109	1	626663000	Anillo de escobilla de repuesto 225 mm	
110	1	316062010	Plato de lijar cpl.	37
111	1	141151940	Arandela	11
112	1	141113840	Tornillo cilindr3co	12
113	2	316063130	Pieza de carga	25
114	1	345000170	Arbol flexible	47
115	1	316063110	Carcasa	33
116	2	141119430	Torn.avell.p.chapa	11
117	1	316062390	connecting sleeve	25
120	1	143160180	Toroidal Ferrite	
199	1	316064470	Alma de eje con acop embalado	30
880	1	344130930	Tubo de grasa 50Gr 1,8oz	30
1001	1	338506390	Esquema electrico,230 V	