





FC qbpt fr fsnr ,ab,frm sVkvYf mQYVqdVanqbr ,gn frϑ, bu YFE,x, bu YGL,

b , , fi , , , fi fi , , , , fi fi, fi, fi fi , , fi ,
 :; , fi fi , fi fi, fi , fi, fi, fi, fi fi, , , ,
 C

b , , fi , , bu YFE:, fi, fi, fi, , , fFD v :, , , bu YGL, fi, fi, fi,
 , ,NGi :; , , , fi , , epFE:, fi, fi, fi, , ,LQ v ,

Requerimiento	Modelo de Cargador			
	JOINT EVC10 (11.5kW)	JOINT EVC27 (9.2kW)	BLINK HQ150 (7.6kW)	LEVITON EV320
CONDUCTOR	THHN	THHN	THHN	THHN
CALIBRE DE L1 y L2	6AWG	8AWG	8AWG	8AWG
CALIBRE DE TIERRA	8AWG	10AWG	10AWG	10AWG
TUBERIA	EMT y PVC	EMT y PVC	EMT y PVC	EMT y PVC
DIAMETRO DE TUBERIA	3/4"	3/4"	3/4"	3/4"
PROTECCION	2 POLOS 60A	2 POLOS 50A	2 POLOS 40A	2 POLOS 40A
TIPO DE CONECTOR A LA RED	EMPALME MECANICO	EMPALME MECANICO	NEMA 6-50R	EMPALME MECANICO

kfi, fi , , , fi , , , , kfrbV, kfrbV, sfbqqV:, , , ,
 fi , fi fi, fi , , , fi , , GEM,fi,GI EuC


k , , fi , , fi :; fi fi , fi fi, fi fi, fi , ,GJ C

GC fmr sVkVYfn mab, kV, t nfa Va, bmoVqba,


b , , , , fi , , fi , , , fi , fi fGr , fi fi ,
 , , fi fi C

GEC buYFE,

oVr n, GQ VqYVan, ab, Vdt gqnr, YnmokVYV, ab, l nmsVgb,



oVr n, GQ nmsVgb, abk, YVqdVanq, bmkV, okVYV, ab, l nmsVgb,




oVrn.HOVg rsb,ab,snqmkknr,ab,cfVYfnmabk,YVqdVanq,




GGC buYGL,

oVrn,FD VqYVan,ab,Vdt ցqnr,YnmokVYV,ab,l nռեVց,





oVrn,GQ nռեVց,abk,YVqdVanq,bmkV,okVYV,ab,l nռեVց,




oVrn,HOVgt rsb,ab,snqmfkknr,ab,cfjYfnmabk,YVqdVanq,




Ἐπιπέδη,
οὐκ ἔχει ἄνω καὶ κάτω ὄψεις, ἔχει ἴσους ἄνω καὶ κάτω ὄψεις,



օՆրն,ԳՁ ռեՎք,abk,ԿՎդՎanq,bmkV,okVԿԿ,ab,l ռեՎք,




oVr n.HOVg r sb,ab,snqmkknr ,ab,cfVYfnmabk,YVqdVanq,




ᄀᄀ ,kbuᄀnmbuHGE,

oVr n,ᄀᄀ VqYVan,ab,Vdt ᄀᄀqnr ,YnmokVYV,ab,l nᄀᄀVᄀᄀ,



oVr n.GQ nᵃVᵑ,abk,YVqdVanq,bmkV,okVYV,ab,l nᵃVᵑ.



oVrn.HOVg rsb,ab,snqmkknr,ab,cfVYfnmabk,YVqdVanq,

